

## **In the Claims**

Pursuant to Examiner's objections to claims 1-6 for certain informalities, the phrase "a set of light source" has been changed to "a set of light sources" in claims 1 and 4. Accordingly, Applicant hereby submits the following corrections:

What is claimed is:

1. [Currently amended] A fireplace comprising:
  - a housing with an upper compartment and a lower compartment;
  - a heat generating means and a heat delivery means disposed within the upper compartment;
  - an electric motor driving a set of reflectors randomly attached on an axial member, a set of blocking plates randomly attached to a second axial member, and a color wheel enclosed within a light housing in the lower compartment;
  - a light source within said light housing with its lights directed through the color wheel into a first ends of a set of fiber optics with the first ends and a second ends;
  - a set of artificial logs wherein the bottom half is red and transparent with a set of lights disposed within it and with the second ends of the fiber optics randomly exposed along its surface and at random points above it, simulating sparks of a flame, disposed at the bottom of the lower compartment separated from the rear of the lower compartment by a translucent sheet and a steel plate defining numerous cut-outs in the shape of flames;
  - a set of light sources disposed behind the translucent sheet and positioned behind the cut-outs in the steel plate; and
  - a control panel attached to the housing to control the heat generating means, heat delivery means, the electric motor, and the light sources in the housing;

wherein when electric energy is applied to the fireplace, heat may be generated and delivered to the user while the artificial logs will appear to be burning with realistic moving sparks and dancing flames.

2. [Original] A fireplace as in claim 1, wherein the heat generating means is an electric heating element and the heat delivery means is an electric fan.

3. [Original] A fireplace as in claim 1, wherein said color wheel has angularly alternating colors.

4. [Currently amended] A fireplace comprising:

a housing with an upper compartment and a lower compartment;

a heat generating means and a heat delivery means disposed within the upper compartment;

an electric motor driving a set of reflectors randomly attached on an axial member, a set of blocking plates randomly attached to a second axial member, and a color wheel enclosed within a light housing in the lower compartment;

a light source within said light housing with its lights directed through the color wheel into the first ends of a set of fiber optics;

a set of artificial charcoals with a set of lights disposed within it and with the second ends of the fiber optics randomly exposed along its surface, simulating sparks of a flame, disposed at the bottom of the lower compartment separated from the rear of the lower compartment by a translucent sheet and a steel plate defining numerous cut-outs in the shape of flames;

a set of light sources disposed behind the translucent sheet and positioned behind the cut-outs in the steel plate; and

a control panel attached to the housing to control the heat generating means, heat delivery means, the electric motor, and the light sources in the housing;

wherein when electric energy is applied to the fireplace, heat may be generated and delivered to the user while the artificial charcoals will appear to be burning with realistic moving sparks and dancing flames.

5. [Original] A fireplace as in claim 4, wherein the heat generating means is an electric heating element and the heat delivery means is an electric fan.

6. [Original] A fireplace as in claim 4, wherein said color wheel has angularly alternating colors.